



Data Sheet

HOFA

Curtain Rod Set Heavy




HOFA Curtain Rod Set Heavy

The HOFA Curtain Rod Set Heavy is an elegant and durable solution for mounting heavy acoustic curtains. The high-quality stainless steel construction combines stability with a refined design, blending seamlessly into any living or studio environment. The system offers flexible installation options such as wall mounting with sturdy wall brackets, ceiling mounting with ceiling brackets, or niche mounting with wall bearings.

Dimensions and Weight:

Custom lengths are available upon request.

The weight is approximately 1.3 kg/m.

Rod lenght (standard):	195,0 cm	
Diameter (outer):	28,0 mm	
Diameter (inner):	24,8 mm	
Wall thickness:	1,60 mm	

Mounting Material:


Rod	
Base Plate	
Cover Plate	
Wall Bracket	
Ceiling bracket (optional)	
Wall bearing (optional)	
End Cap	

Load Capacity:

Maximum load capacity for wall mounting is 20 kg. For ceiling mounting it is 100 kg. These ratings depend on bracket spacing.

Material:

Stainless steel



Mounting:

Ceiling mounting with ceiling brackets:



Wall mounting with wall brackets:



Niche mounting with wall bearings:



The mounting instructions can be downloaded [here](#) or are available by email upon request.



► **HOFA-Akustik**

Phone: +49 7251 3472-400 | **Email:** akustik@hofa.de | hofa-akustik.de/en

- **HOFA-Plugins** - Premium plugins for a perfect workflow when producing, mixing, and mastering.
- **HOFA-College** - The international online academy for audio engineering and music production.
- **HOFA-Media** - Your experienced partner for high-quality CD and vinyl pressing.
- **HOFA-Studios** - Recording, mixing & mastering in one of the most renowned recording studios in Germany.

hofa-plugins.de/en
hofa-college.de/en
hofa-media.de
hofa-studios.de/en

HOFA GmbH

Lusshardtstrasse 1-3, 76689 Karlsdorf, GERMANY | Phone 07251 / 3472 – 0 | Email office@hofa.de | www.hofa.de
Managing Directors: Jochen Sachse, Jan Bönisch | Court Mannheim HRB No. 231615